

## References

1. Christgau M, Palitzsch KD, Schmalz G, Kreiner U, Frenzel S. Healing response to non-surgical periodontal therapy in patients with diabetes mellitus: clinical, microbiological, and immunological results. *J Clin Periodontol* 1998; 25: 112–124.
2. Tervonen T, Knuutila M, Pohjamo L, Nurkkala H. Immediate response to non-surgical periodontal treatment in subjects with diabetes mellitus. *J Clin Periodontol* 1991; 18: 65–68.
3. Tervonen T, Karjalainen K. Periodontal disease related to diabetic status. A pilot study of the response to periodontal therapy in type 1 diabetes. *J Clin Periodontol* 1997; 24: 505–510.
4. Westfelt E, Rylander H, Blohme G, Jonasson P, Lindhe J. The effect of periodontal therapy in diabetics. Results after 5 years. *J Clin Periodontol* 1996; 23: 92–100.
5. Costa FO, Miranda Cota LO, Pereira Lages EJ, Soares Dutra Oliveira AM, Dutra Oliveira PA, Cyrino RM, Medeiros Lorentz TC, Cortelli SC, Cortelli JR. *J Periodontol* 2012, Jul 6 (ePub ahead of print).
6. Mealey BL, Oates TW. Diabetes mellitus and periodontal diseases. *J Periodontol* 2006; 77: 1289–1303.
7. Lu H, Kraut D, Gerstenfeld LC, Graves DT. Diabetes interferes with bone formation by affecting the expression of transcription factors that regulate osteoblast differentiation. *Endocrinology* 2003; 144: 346–352.
8. Vestergaard P. Discrepancies in bone mineral density and fracture risk in patients with type 1 and type 2 diabetes—a meta-analysis. *Osteoporos Int* 2007; 18: 427–444.
9. Nevins ML, Karimbux NY, Weber HP, Giannobile WV, Fiorellini JP. Wound healing around endosseous implants in experimental diabetes. *Int J Oral Maxillofac Implants* 1998; 13: 620–629.
10. Fiorellini JP, Nevins ML, Norkin A, Weber HP, Karimbux NY. The effect of insulin therapy on osseointegration in a diabetic rat model. *Clin Oral Implants Res* 1999; 10: 362–368.
11. Moy PK, Medina D, Shetty V, Aghaloo TL. Dental implant failure rates and associated risk factors. *Int J Oral Maxillofac Implants* 2005; 20: 569–577.
12. Morris HF, Ochi S, Winkler S. Implant survival in patients with type 2 diabetes: placement to 36 months. *Ann Periodontol* 2000; 5: 157–165.

13. Alsaadi G, Quirynen M, Komárek A, van Steenberghe D. Impact of local and systemic factors on the incidence of oral implant failures, up to abutment connection. *J Clin Periodontol* 2007; 34: 610–617.
14. Alsaadi G, Quirynen M, Komárek A, van Steenberghe D. Impact of local and systemic factors on the incidence of late oral implant loss. *Clin Oral Implants Res* 2008; 19: 670–676.
15. Bornstein MM, Cionca N, Mombelli A. Systemic conditions and treatments as risks for implant therapy. *Int J Oral Maxillofac Implants* 2009; 24(suppl): 12–27.
16. Dowell S, Oates TW, Robinson M. Implant success in people with type 2 diabetes mellitus with varying glycaemic control: A pilot study. *J Am Dent Assoc* 2007; 138: 355–361.
17. Tawil G, Younan R, Azar P, Sleilati G. Conventional and advanced implant treatment in the type II diabetic patient: surgical protocol and long-term clinical results. *Int J Oral Maxillofac Implants* 2008; 23: 744–752.
18. Turkyilmaz I. One-year clinical outcome of dental implants placed in patients with type 2 diabetes mellitus: A case series. *Implant Dent* 2010; 19: 323–329.
19. Khandelwal N, Oates TW, Vargas A, Alexander PP, Schoolfield JD, Alex McMahan C. Conventional SLA and chemically modified SLA implants in patients with poorly controlled type 2 diabetes mellitus—a randomized controlled trial. *Clin Oral Implants Res* 2013; 24: 13–19.
20. Centers for Disease Control and Prevention. National diabetes fact sheet, 2011. <http://www.cdc.gov/diabetes/pubs/factsheet11.htm> Accessed December 4, 2013.
21. Mealey BL, Ocampo GL. Diabetes mellitus and periodontal disease. *Periodontology* 2000 2007; 44: 127–153.
22. Lalla E, Cheng B, Lal S, Kaplan S, Softness B, Greenberg E, Goland RS, Lamster IB. Diabetes-related parameters and periodontal conditions in children. *J Clin Periodontol* 2007; 42: 345–349.
23. Taylor GW, Burt BA, Becker MP, et al. Non-insulin dependent diabetes mellitus and alveolar bone loss progression over 2 years. *J Periodontol* 1998; 69: 76–83.
24. American Diabetes Association. Standards of Medical Care in Diabetes—2013 (Position Statement). *Diabetes Care* 2013; 36(suppl): S11–S66.
25. Kunzel C, Lalla E, Lamster IB. Management of the patient who smokes and the diabetic patient in the dental office. *J Periodontol* 2006; 77: 331–340.
26. Mealey BL. Managing patients with diabetes: First, do no harm. *J Periodontol* 2007; 78: 2072–2076.
27. Virtue MA, Furne JK, Nuttall FQ, Levitt MD. Relationship between GHb concentration and erythrocyte survival determined from breath carbon monoxide concentration. *Diabetes Care* 2004; 27: 931–935.
28. Nathan DM, Kuenen J, Borg R, Zheng H, Schoenfeld D, Heine RJ. Translating the A1c assay into estimated average glucose values. *Diabetes Care* 2008; 31:1473–1478.
29. Teeuw WJ, Gerdes VE, Loos BG. Effect of periodontal treatment on glycaemic control of diabetic patients: a systematic review and meta-analysis. *Diabetes Care* 2010; 33: 421–427.
30. Grossi SG, Skrepcinski FB, DeCaro T, Robertson DC, Ho AW, Dunford RG, Genco RJ. Treatment of periodontal disease in diabetics reduces glycosylated hemoglobin. *J Periodontol* 1997; 68: 713–719.
31. Darre L, Vergnes JN, Gourdy P, Sixou M. Efficacy of periodontal treatment on glycaemic control in diabetic patients: A meta-analysis of interventional studies. *Diabetes Metab* 2008; 34: 497–506.
32. Tervonen T, Lamminsalo S, Hiltunen L, Raunio T, Knuutila M. Resolution of periodontal inflammation does not guarantee improved glycaemic control in type 1 diabetic subjects. *J Clin Periodontol* 2009; 36: 51–57.

33. Calabrese N, D'Aiuto F, Calabrese A, Patel K, Calabrese G, Massi-Benedetti M. Effects of periodontal therapy on glucose management in people with diabetes mellitus. *Diabetes Metab* 2011; 37: 456–459.
34. Diabetes Control and Complications Trial Research Group. The effect of intensive treatment of diabetes on the development and progression of long-term complications in insulin-dependent diabetes mellitus. *N Engl J Med* 1993; 329: 977–986.
35. U.K. Prospective Diabetes Study (UKPDS) Group. Intensive blood-glucose control with sulphonylureas or insulin compared with conventional treatment and risk of complications in patients with type 2 diabetes (UKPDS 33). *Lancet* 1998; 352: 837–853.
36. Diabetes Control and Complications Trial Research Group. Hypoglycemia in the Diabetes Control and Complications Trial. *Diabetes* 1997; 46: 271–286.
37. Bakatselos SO. Hypoglycemia unawareness. *Diabetes Res Clin Pract* 2011; 93 (suppl 1): S92–S96.