

1. Youssef PN, Sheibani N, Albert DM. Retinal light toxicity. *Eye (Lond)*. 2011;25(1):1-14.
2. Sagan C. *Cosmos*. New York, NY: Random House; 1980.
3. The effects of blue light on the retina and the use of protective filtering glasses: Council on Dental Materials, Instruments, and Equipment. *JADA*. 1986;112(4):533-535.
4. Christensen GJ. Curing restorative resin: a significant controversy. *JADA*. 2000;131(7):1067-1069.
5. Kopperud SE, Rukke HV, Kopperud HM, Bruzell EM. Light curing procedures: performance, knowledge level and safety awareness among dentists. *J Dent*. 2017;58:67-73.
6. Christensen GJ. Is your LED headlamp damaging your eyes? *Clinicians Report*. 2013;6(3):1-3.
7. García Calderín M, Torres Lagares D, Calles Vázquez C, Usón Gargallo J, Gutiérrez Pérez JL. The application of microscopic surgery in dentistry. *Med Oral Patol Oral Cir Bucal*. 2007;12(4):E311-E316.
8. Tosini G, Ferguson I, Tsubota K. Effects of blue light on the circadian system and eye physiology. *Mol Vis*. 2016;22:61-72.
9. McCusker N, Bailey C, Robinson S, Patel N, Sandy JR, Ireland AJ. Dental light curing and its effects on color perception. *Am J Orthod Dentofacial Orthop*. 2012;142(3):355-363.
10. Ernst CP, Price RB, Callaway A, et al. Visible light curing devices: irradiance and use in 302 German dental offices. *J Adhes Dent*. 2018;20(1):41-55.
11. Bullough JD, Bierman A, Rea MS. Evaluating the blue-light hazard from solid state lighting. *Int J Occup Saf Ergon*. 2019;25(2):311-320.
12. Michael R, Wegener A. Estimation of safe exposure time from an ophthalmic operating microscope with regard to ultraviolet radiation and blue-light hazards to the eye. *J Opt Soc Am A Opt Image Sci Vis*. 2004;21(8):1388-1392.
13. Delori FC, Webb RH, Sliney DH; American National Standards Institute. Maximum permissible exposures for ocular safety (ANSI 2000), with emphasis on ophthalmic devices. *J Opt Soc Am A Opt Image Sci Vis*. 2007;24(5):1250-1265.
14. Satrom KD, Morris MA, Crigger LP. Potential retinal hazards of visible-light photopolymerization units. *J Dent Res*. 1987;66(3):731-736.
15. Ellingson OL, Landry RJ, Bostrom RG. An evaluation of optical radiation emissions from dental visible photopolymerization devices. *JADA*. 1986;112(1):67-70.
16. Price RB, Labrie D, Bruzell EM, Sliney DH, Strassler HE. The dental curing light: a potential health risk. *J Occup Environ Hyg*. 2016;13(8):639-646.
17. Bruzell EM, Johnsen B, Aalerud TN, Christensen T. Evaluation of eye protection filters for use with dental curing and bleaching lamps. *J Occup Environ Hyg*. 2007;4(6):432-439.
18. Bruzell Roll EM, Jacobsen N, Hensten-Petersen A. Health hazards associated with curing light in the dental clinic. *Clin Oral Invest*. 2004;8(3):113-117.
19. Labrie D, Moe J, Price RB, Young ME, Felix CM. Evaluation of ocular hazards from 4 types of curing lights. *J Can Dent Assoc*. 2011;77:b116.
20. Murray GA, Yates JL, Newman SM. Ultraviolet light and ultraviolet light-activated composite resins. *J Prosthet Dent*. 1981;46(2):167-170.
21. Young KC, Hussey M, Gillespie FC, Stephen KW. The performance of ultraviolet lights used to polymerize fissure sealants. *J Oral Rehabil*. 1977;4(2):181-191.
22. Jandt KD, Mills RW. A brief history of LED photopolymerization. *Dent Mater*. 2013;29(6):605-617.
23. Rueggeberg FA, Giannini M, Arrais CAG, Price RBT. Light curing in dentistry and clinical implications: a literature review. *Braz Oral Res*. 2017;31(suppl 1):e61.
24. Price RB, Ferracane JL, Shortall AC. Light-curing units: a review of what we need to know. *J Dent Res*. 2015;94(9):1179-1186.
25. Abdel-Rahman F, Okereemgbo B, Alhamadah F, Jamadar S, Anthony K, Saleh MA. *Caenorhabditis elegans* as a model to study the impact of exposure to light emitting diode (LED) domestic lighting. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 2017;52(5):433-439.
26. CMS Dental A/S. FlashMax P3 [product description]. Function curing lights. Copenhagen, Denmark: CMS Dental; 2016. Available at: <https://www.cmsdental.com/?id=422&c=Technic%20Flash&ulang=2>. Accessed June 14, 2018.
27. Maucoski C, Zarpellon DC, Dos Santos FA, et al. Analysis of temperature increase in swine gingiva after exposure to a Polywave LED light curing unit. *Dent Mater*. 2017;33(11):1266-1273.
28. Spranley TJ, Winkler M, Dagate J, Oncale D, Strother E. Curing light burns. *Gen Dent*. 2012;60(4):e210-e214.
29. Ivoclar Vivadent. Bluephase G4 [product information]. Amherst, NY: Ivoclar Vivadent. Available at: <https://www.ivoclarvivadent.com/en/p/all/bluephase-g4>. Accessed May 1, 2019.
30. International Commission on Non-Ionizing Radiation Protection. Guidelines on limits of exposure to incoherent visible and infrared radiation. *Health Phys*. 2013;105(1):74-96.
31. European Agency for Safety and Health at Work. Directive 2006/25/EC of the European Parliament and of the Council of 5 April 2006: minimum health and safety requirements regarding the exposure of workers to risks arising from physical agents (artificial optical radiation). Available at: <https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:02006L0025-20140101&from=EN>. Accessed May 1, 2019.
32. American Conference of Governmental Industrial Hygienists (ACGIH). *TLVs and BEIs based on the documentation for threshold limit values for chemical substances and physical agents and biological exposure indices*. Cincinnati, OH: ACGIH; 2017.

33. Algvere PV, Marshall J, Seregard S. Age-related maculopathy and the impact of blue light hazard. *Acta Ophthalmol Scand*. 2006;84(1):4-15.
34. Yoshino F, Yoshida A. Effects of blue-light irradiation during dental treatment. *Jpn Dent Sci Rev*. 2018; 54(4):160-168.
35. Price RB, Shortall AC, Palin WM. Contemporary issues in light curing. *Oper Dent*. 2014;39(1):4-14.
36. Chaopu Y, Wenqing F, Jiancheng T, Fan Y, Yanfeng L, Chun L. Change of blue light hazard and circadian effect of LED backlight displayer with color temperature and age. *Opt Express*. 2018;26(21):27021-27032.
37. West KE, Jablonski MR, Warfield B, et al. Blue light from light-emitting diodes elicits a dose-dependent suppression of melatonin in humans. *J Appl Physiol* (1985). 2011;110(3):619-626.
38. American Medical Association. *AMA adopts guidance to reduce harm from high intensity street lights [press release]*. Chicago, IL: AMA; 2016. Available at: <https://www.ama-assn.org/press-center/press-releases/ama-adopts-guidance-reduce-harm-high-intensity-street-lights>. Accessed June 14, 2018.
39. Rassaei M, Thelen M, Abumuailq R, Hescheler J, Lüke M, Schneider T. Effect of high-intensity irradiation from dental photopolymerization on the isolated and superfused vertebrate retina. *Graefes Arch Clin Exp Ophthalmol*. 2013;251(3):751-762.
40. Shang YM, Wang GS, Sliney DH, Yang CH, Lee LL. Light-emitting-diode induced retinal damage and its wavelength dependency in vivo. *Int J Ophthalmol*. 2017;10(2):191-202.
41. Moon J, Yun J, Yoon YD, et al. Blue light effect on retinal pigment epithelial cells by display devices. *Integr Biol (Camb)*. 2017;9(5):436-443.
42. van Norren D, Schellekens P. Blue light hazard in rat. *Vision Res*. 1990;30(10):1517-1520.
43. Vicente-Tejedor J, Marchena M, Ramírez L, et al. Removal of the blue component of light significantly decreases retinal damage after high intensity exposure. *PLoS One*. 2018;13(3):e0194218.
44. Ratnayake K, Payton JL, Lakmal OH, Karunaratne A. Blue light excited retinal intercepts cellular signaling. *Sci Rep*. 2018;8(1):10207.
45. Zhang W, Ma Y, Zhang Y, et al. Photo-oxidative blue-light stimulation in retinal pigment epithelium cells promotes exosome secretion and increases the activity of the NLRP3 inflammasome. *Curr Eye Res*. 2019;44(1):67-75.
46. Rebec KM, Klanjšek-Gunde M, Bizjak G, Kobav MB. White LED compared with other light sources: age-dependent photobiological effects and parameters for evaluation. *Int J Occup Saf Ergon*. 2015;21(3):391-398.
47. O'Hagan JB, Khazova M, Price LL. Low-energy light bulbs, computers, tablets and the blue light hazard. *Eye (Lond)*. 2016;30(2):230-233.
48. Leccese F, Vandelanotte V, Salvadori G, Rocca M. Blue light hazard and risk group classification of 8 w LED tubes, replacing fluorescent tubes, through optical radiation measurements. *Sustainability*. 2015;7(10):13454-13468.
49. French Agency for Food, Environmental and Occupation Health Safety (ANSES). *Effets sur la santé humaine et sur l'environnement (faune et flore) des diodes électroluminescentes (LED)*. Maisons-Alfort, France: ANSES; 2019. Available at: <http://sfpmed.org/wp-content/uploads/2019/05/AP2014SA0253Ra.pdf>. Accessed July 1, 2019.
50. Cheung CHM, Bedfort R, Saez De Urabain IR, Karmiloff-Smith A, Smith TJ. Daily touchscreen use in infants and toddlers is associated with reduced sleep and delayed sleep onset. *Sci Rep*. 2017;7:46104.
51. Hruska J. Night shift: how blue light impacts sleep, and what companies like Apple can do about it. ExtremeTech [blog]; 2016. Available at: <https://www.extremetech.com/extreme/226127-night-shift-how-blue-light-impacts-sleep-and-what-companies-like-apple-can-do-about-it>. Accessed April 22, 2019.
52. Ness JW, Zwick H, Stuck BE, et al. Retinal image motion during deliberate fixation: implications to laser safety for long duration viewing. *Health Phys*. 2000;78(2): 131-142.
53. Soares CJ, Rodrigues MP, Vilela AB, et al. Evaluation of eye protection filters used with broad-spectrum and conventional LED curing lights. *Braz Dent J*. 2017;28(1):9-15.
54. United States Department of Labor, Occupational Safety and Health Administration. Standard 1926.102(a)(1): eye and face protection. 2016. Available at: <https://www.osha.gov/laws-regs/regulations/standardnumber/1926/1926.102>. Accessed July 1, 2019.
55. Kohn WG, Harte JA, Malvitz DM, et al. Guidelines for infection control in dental health care settings: 2003. *JADA*. 2004;135(1):33-47.
56. United States Department of Labor, Occupational Safety and Health Administration. Standard 1910.1030: bloodborne pathogens. 2012. Available at: [https://www.osha.gov/pls/oshaweb/owadisp.show\\_document?p\\_id=10051&p\\_table=STANDARDS](https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=10051&p_table=STANDARDS). Accessed April 1, 2019.
57. United States Department of Labor, Occupational Safety and Health Administration. OHS Act of 1970: General Duty Clause. Available at: <https://www.osha.gov/laws-regs/oshact/section5-duties>. Accessed October 23, 2019.
58. United States Department of Labor, Occupational Safety and Health Administration. Standard 1910.133: personal protective equipment—eye and face protection. 2016. Available at: <https://www.osha.gov/laws-regs/regulations/standardnumber/1910/1910.133>. Accessed July 1, 2019.
59. American National Standards Institute/International Safety Equipment Association. Standard Z87.1-2015: eye and face protection standards. Available at: <https://safteyequipment.org/wp-content/uploads/2015/06/Eye-and-Face-Selection-Guide-tool1.pdf>. Accessed August 18, 2019.
60. International Organization for Standardization (ISO). *Standard ISO 12609-1:2013. Eyewear for protection against intense light sources used on humans and animals for cosmetic and medical applications, part 1: specification for products*. Geneva, Switzerland: ISO; 2013. Available at: <https://www.iso.org/standard/51550.html>. Accessed August 18, 2019.
61. Berry EA 3rd, Pitts DG, Francisco PR, von der Lehr WN. An evaluation of lenses designed to block light emitted by light-curing units. *JADA*. 1986;112(1):70-72.
62. Giannos SA, Kraft ER, Lyons LJ, Gupta PK. Spectral evaluation of eyeglass blocking efficiency of ultraviolet/high-energy visible blue light for ocular protection. *Optom Vis Sci*. 2019;96(7):513-522.
63. International Electrotechnical Commission (IEC). *Standard IEC 62471:2006. Photobiological safety of lamps and lamp systems*. Geneva, Switzerland: IEC; 2006. Available at: [https://www.iec.org/dyn/www/f?p=106:49:0:::FSP\\_STD\\_ID:7076](https://www.iec.org/dyn/www/f?p=106:49:0:::FSP_STD_ID:7076). Accessed August 18, 2019.
64. International Organization for Standardization (ISO). *Standard ISO 10650:2018: dentistry—powered polymerization activators*. Geneva, Switzerland: ISO; 2018. Available at: <https://www.iso.org/standard/73302.html>. Accessed August 18, 2019.
65. International Electrotechnical Commission (IEC). *Standard IEC 60601-1-1:2005. Medical electrical equipment, part 1: general requirements for basic safety and essential performance*. Geneva, Switzerland: IEC; 2006. Available at: <https://webstore.iec.ch/publication/2606>. Accessed August 18, 2019.
66. International Electrotechnical Commission (IEC). *Standard IEC 80601-2-60:2012: medical electrical equipment, part 2:60: particular requirements for basic safety and essential performance of dental equipment*. Geneva, Switzerland: IEC; 2012. Available at: <https://www.iso.org/standard/51401.html>. Accessed August 18, 2019.
67. Zarpellon DC, Runnacles P, Maucoski C, Coelho U, Rueggeberg FA, Arrais C. Controlling in vivo, human pulp temperature rise caused by LED curing light exposure. *Oper Dent*. 2019;44(3):235-241.
68. Poulos JG, Styner DL. Curing lights: changes in intensity output with use over time. *Gen Dent*. 1997;45(1): 70-73.
69. Price RB, Strassler HE, Price HL, Seth S, Lee CJ. The effectiveness of using a patient simulator to teach light-curing skills. *JADA*. 2014;145(1):32-43.
70. Samaha S, Bhatt S, Finkelman M, et al. Effect of instruction, light curing unit, and location in the mouth on the energy delivered to simulated restorations. *Am J Dent*. 2017;30(6):343-349.
71. De Souza GM, El-Badrawy W, Tam LE. Effect of training method on dental students' light-curing performance. *J Dent Educ*. 2018;82(8):864-871.